

climatechange in Australia



solar radiation

technical report 2007 supplementary material



Contents

Figures are for the following climate variables:

Solar radiation (% change)

Figure S10	Annual	3
Figure S11	Summer.	4
Figure S12	Autumn	5
Figure S13	Winter	6
Figure S14	Spring	7


© CSIRO 2007
Disclaimer: No responsibility will be accepted by CSIRO or the Bureau of Meteorology for the accuracy of the projections in or inferred from this report, or for any person's reliance on, or interpretations, deductions, conclusions or actions in reliance on, this report or any information contained in it.

The figures in this document provide best estimate, 10th percentile and 90th percentile projections for 2030, 2050 and 2070 for six SRES emission scenarios (B1, B2, A2, A1B, A1T, A1FI), and supplement material in Chapter 5 Regional Climate Change Projections of the Climate Change in Australia Technical Report 2007 (available at www.climatechangeinaustralia.gov.au).



Figure S10:

Best estimate, 10th percentile and 90th percentile annual solar radiation change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.






Figure S11:

Best estimate, 10th percentile and 90th percentile summer solar radiation change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.





Figure S12:

Best estimate, 10th percentile and 90th percentile autumn solar radiation change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.






Figure S13:

Best estimate, 10th percentile and 90th percentile winter solar radiation change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.




Figure S14:

Best estimate, 10th percentile and 90th percentile spring solar radiation change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.

