climatechange
in Australia

wind speed

technical report 2007 supplementary material

Contents

Figures are for the following climate variables:

Mean 10 m wind speed (% change)

Figure S20 Annual 3
Figure S21 Summer 4
Figure S22 Autumn 5
Figure S23 Winter 6
Figure S24 Spring 7

© CSIRO 2007
Disclaimer: No responsibility will be accepted by CSIRO or the Bureau of Meteorology for the accuracy of the projections in or inferred from this report, or for any person's reliance on, or interpretations, deductions, conclusions or actions in reliance on, this report or any information contained in it.

The figures in this document provide best estimate, 10th percentile and 90th percentile projections for 2030, 2050 and 2070 for six SRES emission scenarios (B1, B2, A2, A1B, A1T, A1FI), and supplement material in Chapter 5 Regional Climate Change Projections of the Climate Change in Australia Technical Report 2007 (available at www.climatechangeinaustralia.gov.au).

CSIRO

Australian Government
Bureau of Meteorology

Department of the Environment and Water Resources
Australian Greenhouse Office



Figure S20:
Best estimate, 10th percentile and 90th percentile annual mean 10 m wind speed change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.





Figure S21:
Best estimate, 10th percentile and 90th percentile summer mean 10 m wind speed change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.





Figure S22:
Best estimate, 10th percentile and 90th percentile autumn mean 10 m wind speed change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.







Figure S23:
Best estimate, 10th percentile and 90th percentile winter mean 10 m wind speed change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.





Figure S24:
Best estimate, 10th percentile and 90th percentile spring mean 10 m wind speed change (%) for 2030, 2050 and 2070 and six SRES emission scenarios.